CITY OF GREENSBORO HISTORIC DISTRICT PROGRAM

CERTIFICATE OF APPROPRIATENESS APPLICATION FORM

LOCATION	902 Ca	solina Street	
Street Address Where Work Will Be Undertaken			
APPLICANT	Thomp	used Joe	
	Last Name	First Name	MI
ADDRESS	1006	N. Eugene St.	
	Number	Street	
	Greensbors	NC	27401
	City	State	Zip
CONTACTINFO.	274-3598	NEWAGERLOW ACL. COM	
	Daytime Phone No.	Email Email	Fax
PROPERTY OWNER.	Fields F	Burtand Debbie	
	Last Name	First Name	MI
ADDRESS	902	Carolina	
	Number	Street	
	Greensboro	N.C.	27401
			21100
	City	State	Zip
	City		Zip
APPLICANT'S SI	City	State Mail or Fax Application To	
APPLICANT'S SI	City	State Mail or Fax Application To Department of Housing and Comm	
se Thomps	City	Mail or Fax Application To Department of Housing and Comr City of Greensboro PO Box 3136	
APPLICANT'S SI Rompo Signature	City	Mail or Fax Application To Department of Housing and Commodity of Greensboro PO Box 3136 Greensboro, NC 27402-3136	munity Development
Signature Signature	City IGNATURE	Mail or Fax Application To Department of Housing and Comr City of Greensboro PO Box 3136	munity Development
se Thomps	City IGNATURE	Mail or Fax Application To Department of Housing and Commodity of Greensboro PO Box 3136 Greensboro, NC 27402-3136 Fax: 336-412-6315 Phone: 336-3	munity Development
Signature FOR OFFICE USE C	City GNATURE ONLY	Mail or Fax Application To Department of Housing and Comr City of Greensboro PO Box 3136 Greensboro, NC 27402-3136 Fax: 336-412-6315 Phone: 336-3 ACTION Approved	munity Development
FOR OFFICE USE Co.	ONLY OG	Mail or Fax Application To Department of Housing and Commodity of Greensboro PO Box 3136 Greensboro, NC 27402-3136 Fax: 336-412-6315 Phone: 336-3 ACTION Approved Approved	munity Development
Signature FOR OFFICE USE C	ONLY OG	Mail or Fax Application To Department of Housing and Comr City of Greensboro PO Box 3136 Greensboro, NC 27402-3136 Fax: 336-412-6315 Phone: 336-3 ACTION Approved	munity Development
FOR OFFICE USE Co.	ONLY OG	Mail or Fax Application To Department of Housing and Commodity of Greensboro PO Box 3136 Greensboro, NC 27402-3136 Fax: 336-412-6315 Phone: 336-3 ACTION Approved Approved Approved with Conditions Denied	munity Development
FOR OFFICE USE Co.	ONLY OG	Mail or Fax Application To Department of Housing and Commodity of Greensboro PO Box 3136 Greensboro, NC 27402-3136 Fax: 336-412-6315 Phone: 336-3 ACTION Approved Approved Approved with Conditons Denied Withdrawn	munity Development

Describe the project clearly and in detail. Please print or type.

We propose to remove the existing storm windows and double hung window sash and replace with new Weathershield or Marvin brand wooden, insulated glass, divided lite sash matching the existing window sash in every detail.

The owners are aware of the sensitive nature of this request but would like to proceed because of energy concerns as well as the overall condition and appearance of the existing storm windows and sashes. If the request is approved, the storm windows would be removed and discarded.

Marvin Windows and Doors - Ultimate Insert Double Hung

CLOSE

Email this Page



Print this Page

Ultimate Insert Double Hung



Exterior View

Interior View

Hardware + Accessories

Glass + Grilles

Sizes, Performance + Specs



















1-3 of 3

View more photos in the photo gallery

Ultimate Insert Double Hung Windows

- With the Ultimate Insert Double Hung replacement window, there's no need to take out the existing window frame. Exterior casing and interior trim remain undisturbed by the replacement process.
- Tilt or remove the sash for easy cleaning.
- The Wood Ultimate Insert Double Hung is designed to meet historic design criteria.
- The Clad Ultimate Insert Double Hung has a wood interior and low maintenance, extruded aluminum-clad exterior.

Standard Features

- Bare wood interior
- Satin Taupe sash lock
- One-lite Low E II with argon insulating glass
- 3 1/4" (82.5 mm) jambs (clad only)
- 4 9/16" (116 mm) jambs (wood only)
- 8º sill bevel
- All wood exterior (wood only)
- Extruded aluminum clad exterior (clad only)
- Full screen
- Prepped for jamb installation
- Installation hardware
- One-handed tilt-in operation for easy cleaning

